

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)  
217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=4; day=23; hr=11; min=39; sec=30; ms=585; ]

=====

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)  
217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=4; day=23; hr=10; min=1; sec=42; ms=72; ]

=====

Application No: 10569812 Version No: 3.0

Input Set:

Output Set:

Started: 2008-04-03 18:57:12.950  
Finished: 2008-04-03 18:57:13.018  
Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 68 ms  
Total Warnings: 1  
Total Errors: 0  
No. of SeqIDs Defined: 1  
Actual SeqID Count: 1

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)

SEQUENCE LISTING

<110> HOLMES, Ian  
WATSON, Stephen Paul

<120> MATRIX METALLOPROTEINASE INHIBITORS

<130> PB60441

<140> 10569812  
<141> 2008-04-03

<150> PCT/EP2004/009087  
<151> 2004-08-12

<150> GB0319069.1  
<151> 2003-08-14

<160> 1

<170> FastSEQ for Windows Version 4.0

<210> 1  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Fluorescent peptide substrate

<400> 1  
Gly Pro Leu Gly Leu Phe Ala Arg Lys  
1 5

SEQUENCE LISTING

<110> HOLMES, Ian  
WATSON, Stephen Paul

<120> MATRIX METALLOPROTEINASE INHIBITORS

<130> PB60441

<140> 10569812  
<141> 2008-04-03

<150> PCT/EP2004/009087  
<151> 2004-08-12

<150> GB0319069.1  
<151> 2003-08-14

<160> 1

<170> FastSEQ for Windows Version 4.0

<210> 1  
<211> 9  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Fluorescent peptide substrate

<400> 1  
Gly Pro Leu Gly Leu Phe Ala Arg Lys  
1 5